



PELI GLASS PRODUCTS B.V.

Safety Data Sheet
According to 1907/2006/EC, Article 31

Revision: 11-Apr-2009

1. Identification of the material and the company

1.1 Identification of the material

Dresden Thick Oil (1900)

1.2 Use of the material

Oil for mixing glass paint

1.3 Importing company

PELI Glass Products, B.V.

Loodstraat 26

2718 RW Zoetermeer

Netherlands

Tel: +31(0)79 361 8154 / +31(0)628 755 901

(M-F, 9:00 – 16:00)

Fax: +31(0)79 361 8493

email: mail@peliglass.eu

Manufacturer:

Reusche & Co.

1299 H Street

Greeley, Colorado 80631

USA

Tel: +1970 346 8577

Fax: +1970 346 8575

email: info@reuscheco.com

1.4 Emergency telephone

Emergency: 112

2. Hazard identification



Xi Irritant

Risk phrases:

R 36: Irritating to eyes.

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3. Composition / information on ingredients

Components:

Name

Resin acids & rosin acids, methyl esters (CAS# 68186-14-1)

Birch tar rectified (CAS# 8001-88-5)

Pine oil (CAS# 8002-09-3)

Rosin, gum (G) (CAS# 8002-16-2)

4. First aid measures

General: Harmful if inhaled or swallowed. Repeated and prolonged inhalation may cause delayed injury.

Inhalation: Remove to fresh air. Call a physician.

Skin: Wash with mild soap and water. Call a physician.

Eyes: Flush eyes with water for at least 15 minutes. Call a physician.

Ingestion: If conscious, give large quantities of water or milk. Do not induce vomiting. Call a physician.

Wash contaminated clothing prior to reuse, or dispose of.

5. Fire fighting measures

Carbon dioxide, dry chemical, foam or water mist. Firefighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. Accidental release measures

Use appropriate protective equipment during clean up. Soak up with inert absorbent and dispose in accordance with regulations.

7. Handling and storage

Handling

Avoid breathing mist. Use adequate localized ventilation. Rubber gloves recommended. Use safety glasses or goggles. Keep away from food and food products. Wash hands after use.

Storage

Store in sealed closed containers. Empty containers should be disposed of in accordance with regulations. No special requirements for storerooms.

For manufacturing use only.

8. Exposure controls / personal protection

Use adequate localized ventilation for all handling operations. Rubber gloves recommended. Use safety glasses or goggles. Keep away from food and food products. Wash hands after use.

Do not allow undiluted product or large quantities of it to reach ground water, surface water or sewage system.

9. Physical and chemical properties

General information

Form: liquid
Color: amber or clear
Odor: yes

Important health, safety and environmental information

Boiling point: not applicable
Flame point: not applicable
Flash point: not applicable
Lower explosion limit: not applicable
Upper explosion limit: not applicable
Specific gravity (H₂O = 1): approx. 3.5
Water solubility: insoluble
pH: not applicable
Viscosity: not applicable
Vapor pressure (mm Hg): heavier than air
Vapor density (air = 1): not applicable
Percent volatile by volume (%): 0
Evaporation rate (BuAc = 1): slow

Other information

Melting point: approx. not available

10. Stability and reactivity

Stable. Hazardous polymerization will not occur.

Conditions to avoid – Not applicable.

Materials to avoid – Strong oxidizing agents.

Hazardous decomposition products – Not applicable.

11. Toxicological information

Acute effects:

Irritant effect on the skin: no irritant effect known.

Irritant effect on the eye: no irritant effect known.

Sensitization: No sensitizing effects known.

12. Ecological information

General information: In general, no danger for water.

Aquatic toxicity: Quantitative data over the environmental effects of this product are not available.

Remark: Do not release to drinking water sources, sewage water, or soils.

13. Instructions for disposal

Dispose of in accordance with regulations.

14. Transport information

Harmonized system code: 380590 (Other Terpenic Oils, Crude Dipentene, Sulphite Turpentine, Para-cymene)

Not subject to transport regulations.

15. Regulatory information



Xi Irritant

Risk phrases:

R 36: Irritating to eyes.

Safety phrases:

S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Risk phrases:

R 36: Irritating to eyes.