

F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 1 / 10

Replaced revision:3 (Dated 14/10/2020)

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: GLT0122

Product name F 2102 TRANSPARENT BLUE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Preparation of ceramic frit and inorganic pigments

for the decoration of ceramic / porcelain / glass / metal articles.

Identified Uses Industrial Professional Consumer

Ceramic / Porcelain / Glass / Metal - - -

1.3. Details of the supplier of the safety data sheet

Name CRG S.r.I.

Full address Via Monte Bianco, 81

District and Country 41042 Fiorano Modenese (MO)

ITALIA

Tel. +39 0536 845220 Fax +39 0536 845412

E-mail address of the competent person

responsible for the Safety Data Sheet: reach@coloritalia.it

Product distribution by: www.coloritalia.it

1.4. Emergency telephone number

For urgent inquiries refer to +39 0536 845220 (office hours: Monday - Friday 8.30 to 12.30, 14.00 to 18.00)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Carcinogenicity, category 2	H351	Suspected of causing cancer.
Reproductive toxicity, category 1A	H360Df	May damage the unborn child. Suspected of damaging fertility.
Acute toxicity, category 4	H302	Harmful if swallowed.
Acute toxicity, category 4	H332	Harmful if inhaled.
Specific target organ toxicity - repeated exposure, category 1	H372	Causes damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment, acute toxicity, category 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment, chronic toxicity, category 1	H410	Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:





F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 2 / 10

Replaced revision:3 (Dated 14/10/2020)

SECTION 2. Hazards identification .../>>

Signal words: Danger

Hazard statements:

H351 Suspected of causing cancer.

H360Df May damage the unborn child. Suspected of damaging fertility.

H302+H332 Harmful if swallowed or if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Restricted to professional users.

Precautionary statements:

P201 Obtain special instructions before use.

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P308+P313 IF exposed or concerned: Get medical advice / attention.

P273 Avoid release to the environment.

P391 Collect spillage.

P261 Avoid breathing dust / fume / gas / mist / vapours / spray.

Contains: Frits, chemicals (SiO2 < 30%; Pb \geq 25%; B > 0%)

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

Frits, chemicals (SiO2 < 30%; Pb ≥ 25%; B > 0%)

CAS 65997-18-4 $50 \le x < 100$ Carc. 2 H351, Repr. 1A H360Df, Acute Tox. 4 H302, Acute Tox. 4 H332,

STOT RE 1 H372, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 266-047-6

INDEX

Reg. no. 01-2119548361-42-xxxx

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Frits, chemicals (SiO2 < 30%; Pb ≥ 25%; B > 0%)

This FRIT, included in Group 8.2 of the "Validity Assessment of the Exemption Dossier Ceramic Frits" (see SECTION 16), is subject to the registration procedure according to EC Regulation n.1907/2006 (REACH).

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available



F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 3 / 10

Replaced revision:3 (Dated 14/10/2020)

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Choose the most appropriate extinguishing equipment for the specific case.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

The product is neither flammable nor combustible.

5.3. Advice for firefighters

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Wash hands after use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Store the containers sealed, in a well ventilated place, away from direct sunlight.

7.3. Specific end use(s)

Information not available



F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 4 / 10 Replaced revision:3 (Dated 14/10/2020)

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

POL Polska ROZPORZADZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 12

czerwca 2018 r

EU OEL EU Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU)

2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive

2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 202

Frits, chemicals (SiO2 < 30%; Pb ≥ 25%; B > 0%)										
Threshold Limit Value										
Type	Country	TWA/8h		STEL/15min		Remarks / Observations				
		mg/m3	ppm	mg/m3	ppm					
NDS/NDSCh	POL	0,05								
OEL	EU	0,15								
TLV-ACGIH		0,05								
Predicted no-effect concentration - PNEC										
Normal value in	fresh water						0,0065	mg/l		
Normal value in marine water							0,0034	mg/l		
Normal value for fresh water sediment							174	mg/kg		
Normal value for marine water sediment							164	mg/kg		
Normal value of STP microorganisms						0,1	mg/l			
Normal value for the food chain (secondary poisoning)						10,9	mg/kg			
Normal value for the terrestrial compartment						147	mg/kg			

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

If the operator is exposed to a carcinogenic or mutagenic agent, wear a type FFP3 facemask, (see standard EN 149).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.



CRG S.r.l.

F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 5 / 10

Information

Replaced revision:3 (Dated 14/10/2020)

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Value Appearance powder Colour blue Odour odourless Odour threshold Not determined Not applicable Melting point / freezing point 520 °C Initial boiling point Not applicable Boiling range Not applicable Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) not flammable Lower inflammability limit Not applicable Not applicable Upper inflammability limit Lower explosive limit Not applicable Upper explosive limit Not applicable Vapour pressure Not applicable Vapour density Not applicable Relative density 3,65 Solubility insoluble Partition coefficient: n-octanol/water Not applicable Auto-ignition temperature Not applicable Not determined Decomposition temperature Viscosity Not applicable Explosive properties not explosive Oxidising properties non-oxidizing

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available



CRG S.r.l.

F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 6 / 10

Replaced revision:3 (Dated 14/10/2020)

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

lonic compounds of lead may cause chronic poisoning, since lead accumulates in the organism following prolonged and repeated exposures causing damage to the blood and central nervous system. Vapours can also cause irritation of the eyes and respiratory tract. The way of absorption are inhalation and ingestion.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: 1,5 mg/l
ATE (Oral) of the mixture: 500,00 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

Frits, chemicals (SiO2 < 30%; Pb ≥ 25%; B > 0%)

LD50 (Oral) > 2000 mg/kg Lead containing frit LD50 (Dermal) > 2000 mg/kg Lead containing frit

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Suspected of causing cancer

REPRODUCTIVE TOXICITY

May damage the unborn child - Suspected of damaging fertility

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class



F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 7 / 10

Replaced revision:3 (Dated 14/10/2020)

SECTION 11. Toxicological information .../>>

STOT - REPEATED EXPOSURE

Causes damage to organs

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

This product is dangerous for the environment and highly toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

Information not available

12.2. Persistence and degradability

The inorganic substances contained in the product are not biodegradable.

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, this product does not contain any PBT or vPvB in percentage greater than 0,1%.

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, IATA: 3077

ADR / RID: In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not

submitted to ADR provisions.

IMDG: In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or

5L, is not submitted to IMDG Code provisions.



F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 8 / 10 Replaced revision:3 (Dated 14/10/2020)

SECTION 14. Transport information

IATA: In accordance with SP A197, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to

IATA dangerous goods regulations.

14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Frits, chemicals (SiO2 < 30%; Pb ≥ 25%; B > ADR / RID:

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Frits, chemicals (SiO2 < 30%; Pb ≥ 25%; B >

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Frits, chemicals (SiO2 < 30%; Pb ≥ 25%; B >

14.3. Transport hazard class(es)

ADR / RID: Class: 9 Label: 9

IMDG: Class: 9 Label: 9

IATA: Class: 9 Label: 9



14.4. Packing group

ADR / RID, IMDG, IATA: Ш

14.5. Environmental hazards

ADR / RID: Environmentally Hazardous

IMDG: Marine Pollutant

IATA: **Environmentally Hazardous**



14.6. Special precautions for user

ADR / RID: HIN - Kemler: 90 Limited Quantities: 5 kg Tunnel restriction code: (-)

Special Provision: -

IMDG: EMS: F-A, S-F Limited Quantities: 5 kg Maximum quantity: 400 Kg IATA: Cargo:

Packaging instructions: 956 Maximum quantity: 400 Kg Packaging instructions: 956 Pass.:

Special Instructions: A97, A158, A179, A197

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: F1

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Substances in Candidate List (Art. 59 REACH)



F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 9 / 10

Replaced revision:3 (Dated 14/10/2020)

SECTION 15. Regulatory information .../>>

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 2: Hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances Frits, chemicals (SiO2 < 30%; Pb ≥ 25%; B > 0%)

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Carc. 2 Carcinogenicity, category 2
Repr. 1A Reproductive toxicity, category 1A

Acute Tox. 4 Acute toxicity, category 4

STOT RE 1 Specific target organ toxicity - repeated exposure, category 1
Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

H351 Suspected of causing cancer.

H360Df May damage the unborn child. Suspected of damaging fertility.

H302+H332 Harmful if swallowed or if inhaled.

H302 Harmful if swallowed.
H332 Harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value



F 2102 TRANSPARENT BLUE

Revision nr.4 Dated 08/04/2021 Printed on 06/07/2021 Page n. 10 / 10

Replaced revision:3 (Dated 14/10/2020)

SECTION 16. Other information

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.- TWA STEL: Short-term exposure
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- FCHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

OTHER BIBLIOGRAPHICAL SOURCES:

- Validity Assessment of the Exemption Dossier Ceramic Frits, RCC Ltd., Switzerland, 2007, Harlan Laboratories Ltd., 2009
- Estudio de Evaluación de Riesgos de las Fritas Cerámicas. Universitat Jaume I. 2005.
- Modelling Study of Ceramic Frits Formulation for their Classification in REACH, Universitat Jaume I, 2009.

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 01 / 09 / 14